



UFO III SHB27S - 100/150/200W

1-10V Dimmable, IP65 LED super low profile LED highbay

Application

Ideal for any commercial or industrial interior spaces

Design Specifications

- Die-cast aluminium body, super low profile design
- Black powder coated finish
- High efficiency LED optics, clear polycarbonate lens, 90° beam distribution
- Optional plug and play motion and daylight harvesting sensor available (SHB2X/CS and remote control SHBXS/RC)
- Integral 1-10V dimmable LED driver with surge protection, complete with flex and plug for easy installation
- Robust design IP66 and IK08 rated



Performance

- Dimmable - **YES**
- Dimmer Type - **1-10V**
- In Built Sensor - **OPTIONAL**



Technical Specification


Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	Beam Angle (°)	CCT (K)
	SHB27S100NDL	240	100	15000	90	5000
	SHB27S150NDL	240	150	22500	90	5000
	SHB27S200NDL	240	200	30000	90	5000

CRI	Body Colour	Diameter (mm)	Dim (mm)	Mass (kg)
80	BLACK	260	129(H)	1.5
80	BLACK	289	129(H)	1.8
80	BLACK	328	129(H)	2.4


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions


100W




150W



200W





DID YOU KNOW?

In the interest of safety all Electrical products have design thermal limits to ensure that they function correctly within their intended environment. For Lighting products these limits are tested against a mandatory Australian Standard AS/NZS60598 and LED Highbays are no exception to this requirement, especially when the upper cavity of a warehouse space can exceed the ambient temperatures well in excess of 40 degree Celsius on a hot Summer day.

So take the time to look out for the (ambient) rating of the highbay located on the rating label to ensure the price matches the performance.

