



ECOLINE III SL9732TC - 10W/50W

LED narrow diffused batten with selectable CCT and Dual Power

Application

Conventional linear LED batten products for commercial service spaces

Design Specifications

- 65 mm narrow steel body
- White powder coat finish with a robust polycarbonate diffuser
- Large terminal block, easy installation
- Selectable CCT 3000K/4000K/5700K
- High efficiency LED optics, CRI >80, 120° beam distribution
- Integral LED driver with selectable power, Emergency options available and Non-dimmable corridorSTANDBY options available



Performance

- Dimmable - **OPTIONAL**
- Dimmer Type - **refer model no, Trailing edge, 1-10V, DALI / DSI**
- In Built Sensor - **OPTIONAL**
- Sensor Type - **MICROWAVE**





Technical Specification

Product	Model No.	Input Voltage (V/AC)	Power (W)	Multiple Wattage	Lumens (lm)	CCT (K)
	SL9732/20TC/DP3	240		10/20	2370/2600/2460	3000/4000/5700
	SL9732/20TC/DP3S	240		10/20	2370/2600/2460	3000/4000/5700
	SL9732/20TC3DIM	240	20		2400/2500/2450	3000/4000/5700
	SL9732/40TC/DP3	240		20/40	4600/5100/4860	3000/4000/5700
	SL9732/40TC/DP3S	240		20/40	4600/5100/4860	3000/4000/5700
	SL9732/40TC3DIM	240	40		4650/4900/4700	3000/4000/5700
	SL9732/50TC/DP3	240		25/50	6100/6700/6300	3000/4000/5700
	SL9732/40TC/DP3/EM	240		24/40	4880/5340/5070	3000/4000/5700


CRI	Beam Angle (°)	Dimmable	Dim (mm)	Body Colour	IPART	VEET
80	120	NO	600(L) x 65(W) x 65(H)	WHITE		
80	120	NO	600(L) x 65(W) x 65(H)	WHITE		
80	120	YES	600(L) x 65(W) x 65(H)	WHITE		
80	120	NO	1135(L) x 65(W) x 65(H)	WHITE		
80	120	NO	1135(L) x 65(W) x 65(H)	WHITE		
80	120	YES	1135(L) x 65(W) x 65(H)	WHITE		
80	120	NO	1455(L) x 65(W) x 65(H)	WHITE		
80	120	NO	1135(L) x 65(W) x 65(H)	WHITE	N/A	N/A

NOTE: lumens (lm) shown are at FULL power setting


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions

SL9732 20



SL9732 40



SMARTER LIGHTING CHOICES



<p>BENTO S9691 SQUARE PROFILE IP44 LED DOWNLIGHT.</p> <p>PRODUCT INFO GUIDE</p>	<p>BLADE LED BATTEN SL9707TC LOW PROFILE WIDE BODY</p> <p>35W</p> <p>PRODUCT INFO GUIDE</p>	<p>BLADE LED BATTEN SL9709TC LOW PROFILE WIDE BODY</p> <p>50W</p> <p>PRODUCT INFO GUIDE</p>	<p>BRIGHTSTAR ECO SE7199 LED FLOODLIGHTS</p> <p>PRODUCT INFO GUIDE</p>	<p>THE VERSATILE CANOPY LED SHP205</p> <p>PRODUCT INFO GUIDE</p>
<p>COOPER III</p> <p>PRODUCT INFO GUIDE</p>	<p>COOLUM PLUS S9167TC.</p> <p>PRODUCT INFO GUIDE</p>	<p>COOPER II</p> <p>PRODUCT INFO GUIDE</p>	<p>ECOLINE XV SL9731TC/DP</p> <p>PRODUCT INFO GUIDE</p>	<p>ECOLINE SL9738 LED WIDE DIFFUSED BATTEN</p> <p>PRODUCT INFO GUIDE</p>
<p>EMERGENCY EXIT SELK1500EX2</p> <p>PRODUCT INFO GUIDE</p>	<p>THE NEW QUICK CONNECT ESS107</p> <p>PRODUCT INFO GUIDE</p>	<p>STREAMLINE LOW PROFILE PUSHIE SL2104TC</p> <p>PRODUCT INFO GUIDE</p>	<p>THE NEW GIBRALYAR SL9722.TC LED VANDALPROOF BATTEN</p> <p>PRODUCT INFO GUIDE</p>	<p>REMARK D LED DOWNLIGHTS</p> <p>PRODUCT INFO GUIDE</p>
<p>COOLUM PLUS S9168TC.</p> <p>PRODUCT INFO GUIDE</p>	<p>SLIMLINE SEAMLESS TC LINKABLE SL9706</p> <p>PRODUCT INFO GUIDE</p>	<p>PIXIE AMBIENCE SMART SOCKET</p> <p>PRODUCT INFO GUIDE</p>	<p>STARPAD II SE7071 TC FLOODLIGHT</p> <p>PRODUCT INFO GUIDE</p>	<p>THE NEW UFO SHB23AMP150TC LED HIGHBAY</p> <p>PRODUCT INFO GUIDE</p>
<p>WAVE SF S9065TC LED DOWNLIGHT</p> <p>PRODUCT INFO GUIDE</p>	<p>WIDELINE SL9733TC/DP</p> <p>PRODUCT INFO GUIDE</p>	<p>BISMARCK II S9794 LED PANEL</p> <p>PRODUCT INFO GUIDE</p>	<p>UFO SHB235E HIGH BAY</p> <p>PRODUCT INFO GUIDE</p>	<p>COOLUM PLUS S9069TC.</p> <p>PRODUCT INFO GUIDE</p>
<p>ALTONA SQUARE OR ROUND LED WALL LUMINAIRES.</p> <p>PRODUCT INFO GUIDE</p>	<p>BRIGHT STAR LED FLOODLIGHT SE7199</p> <p>PRODUCT INFO GUIDE</p>	<p>BUNKER 15 TC ROUND</p> <p>PRODUCT INFO GUIDE</p>	<p>BUNKER 15 TC OVAL</p> <p>PRODUCT INFO GUIDE</p>	<p>Scan me</p>

SAL YouTube PRODUCT GUIDES, MORE INFORMATION, EASY TO FIND